

USB4232

USB to 4 ports RS232 converter

Features

- ◇ Plug and play compliant, hot swappable
- ◇ Add 1 to 4 serial ports
- ◇ Multi-interface RS-232 model
- ◇ USB 2.0, 1.0 and 1.1 compliant
- ◇ USB port powered — no external power needed on USB to serial models




Introduction

A quick and easy way to expand your PC's port count and to adapt serial devices to your USB PC. Edgeport USB-to-Serial converters are intelligent expansion units that connect to a PC, thin client or server via a USB port. They provide one, two, four, eight or sixteen serial ports, as well as parallel and USB ports

on some models. Compatible with most Windows operating systems. No IRQ, I/O address, DMA or memory address requirements. Serial port models require no external power. Models with USB output ports use an included power supply.

Installation



Specifications

Standard: Accord USB1.1 or 2.0, EIA RS232
USB signal: VCC, DATA+, DATA-, GND, FG
RS-232 signal: RX, TX, RTS, CTS, DTR, DSR, DCD, RI, GND
Working format: Asynchronism, point to point or multi-point
Speed: 300-115200bps, automatic sense signal rate
 RS232 side 15M, USB side less than 5M
 600W surge protection, 15KV ESD protection
 USB side type A interface female, RS-232 side DB-9 male

Working temperature: -20 to 60°C
Storage temperature: -25 to 85°C
Relative humidity: 5% to 95%
 powered Powered from USB or 5V external powered
 Static consumption less than 80mA,
 Dynamic average consumption less than 150mA
L*W*H: 160mm*94mm*28mm
Shell: Iron
Color: White
Weight: 50g

Ordering Information

USB232 Universal USB to RS232 converter
USB4232 Universal USB to 4 port RS232 converter